

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name. : X-PANDOTITE SPECIAL GLASS (WHITE, GREY, BLACK)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Sealant for glass to metal and ceramic to metal. For use on Assemblies; Glass Door and Railing Installations.

#### 1.3. Details of the supplier of the safety data sheet

X-Pando Products Company  
204 Stokes Avenue  
Ewing, NJ 08638

#### 1.4. Emergency telephone number

Emergency number : 609-394-0150

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Carc. 2 H351  
STOT SE 3 H335  
STOT RE 2 H373

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H335 - May cause respiratory irritation  
H351 - Suspected of causing cancer  
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P308+P313 - IF exposed or concerned: Get medical advice/attention  
P312 - Call a POISON CENTER/doctor/.../if you feel unwell  
P314 - Get medical advice and attention if you feel unwell  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up  
P501 - Dispose of contents/container to ...

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

No data available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Limestone	(CAS No.) 1317-65-3	25 - 50	Not classified
Magnesium oxide	(CAS No.) 1309-48-4	10 - 35	Not classified
Magnesium chloride, hexahydrate	(CAS No.) 7791-18-6	15 - 30	Not classified

# X-PANDOTITE SPECIAL GLASS (WHITE, GREY, BLACK)

## Safety Data Sheet

Name	Product identifier	%	GHS-US classification
Magnesium sulfate	(CAS No.) 7487-88-9	1 - 5	Not classified
Titanium dioxide	(CAS No.) 13463-67-7	0 - 5	Carc. 2, H351
Dextrin	(CAS No.) 9004-53-9	0 - 5	Not classified

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Move victim to fresh air and treat symptomatically.
- First-aid measures after skin contact : Wash the affected area with soap and water. Seek medical attention if irritation persists.
- First-aid measures after eye contact : Irrigate eyes with large amounts of water for at least 15 minutes, while holding the eyelid(s) open. Seek medical attention if irritation persists.
- First-aid measures after ingestion : Contact local poison control center or physician IMMEDIATELY.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause irritation to respiratory tract and lung damage if exposure is repeated or prolonged. Although unlikely, inhalation of fumes from heated material may cause metal fume fever, a flu-like illness characterized by delayed symptoms of cough, muscle pains chills and nausea.
- Symptoms/injuries after skin contact : This product may cause skin irritation.
- Symptoms/injuries after eye contact : May cause mechanical irritation if exposed to large amounts of the dust.
- Symptoms/injuries after ingestion : This product may cause gastrointestinal harm and nausea if it is swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Fire produces oxides of magnesium, calcium and carbon.
- Explosion hazard : None known.

#### 5.3. Advice for firefighters

- Protection during firefighting : Firefighters should wear full fire-fighting turn-out gear (full Bunker gear) including NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid creating or spreading dust.

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

None.

#### 6.3. Methods and material for containment and cleaning up

- For containment : If possible, stop flow of product.
- Methods for cleaning up : Vacuum or scoop spilled material and place in closed containers for disposal. Avoid dust generation. Dispose of waste in accordance with local, state and federal regulations.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid generating dust.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a closed container in dry area.

#### 7.3. Specific end use(s)

Sealant for glass to metal and ceramic to metal. For use on Assemblies; Glass Door and Railing Installations.

# X-PANDOTITE SPECIAL GLASS (WHITE, GREY, BLACK)

## Safety Data Sheet

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Magnesium oxide (1309-48-4)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup>
Titanium dioxide (13463-67-7)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup>
Limestone (1317-65-3)		
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>

#### 8.2. Exposure controls

Appropriate engineering controls	: Local exhaust and general ventilation must be adequate to meet exposure standards.
Hand protection	: Wear chemical resistant, impervious gloves for routine industrial use.
Eye protection	: Chemical splash goggles or safety glasses. Emergency eye wash stations and showers should be available within the work area.
Skin and body protection	: Use body protection appropriate for task. An apron or other impermeable body protection is suggested. Full-body chemical protective clothing is recommended for emergency response procedures.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: White, gray, and black
Odour	: Odorless
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 2.63
Solubility	: Water: Appreciable
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

# X-PANDOTITE SPECIAL GLASS (WHITE, GREY, BLACK)

## Safety Data Sheet

### 10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

### 10.3. Possibility of hazardous reactions

Will not occur.

### 10.4. Conditions to avoid

Dust generation.

### 10.5. Incompatible materials

Avoid contact with strong acids and strong bases.

### 10.6. Hazardous decomposition products

Hazardous decomposition products such as hydrogen chloride, chlorine and Magnesium oxide s may develop with exposure to high temperatures.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>Magnesium chloride, hexahydrate (7791-18-6)</b>	
LD50 oral rat	8100 mg/kg
ATE (oral)	8100 mg/kg

<b>Titanium dioxide (13463-67-7)</b>	
LD50 oral rat	> 10000 mg/kg

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Suspected of causing cancer.

<b>Titanium dioxide (13463-67-7)</b>	
IARC group	2B
National Toxicity Program (NTP) Status	1

Reproductive toxicity : Not classified  
Specific target organ toxicity (single exposure) : May cause respiratory irritation.  
Specific target organ toxicity (repeated exposure) : May cause damage to organs through prolonged or repeated exposure. Prolonged or repeated skin contact may cause burns. Prolonged inhalation of dust may lead to lung damage (pneumoconiosis). Symptoms include coughing, difficulty breathing, and the production of black sputum. Symptoms may be delayed until after years of exposure.  
Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Magnesium sulfate (7487-88-9)</b>	
LC50 fishes 1	19000 mg/l (Exposure time: 24 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	1700 mg/l (Exposure time: 24 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	2700 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC50 fish 2	2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

# X-PANDOTITE SPECIAL GLASS (WHITE, GREY, BLACK)

## Safety Data Sheet

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

### SECTION 14: Transport information

In accordance with DOT / ADR / RID / ADNR / IMDG / ICAO / IATA

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### Magnesium sulfate (7487-88-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### Magnesium oxide (1309-48-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### Limestone (1317-65-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### Dextrin (9004-53-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### CANADA

##### Magnesium chloride, hexahydrate (7791-18-6)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

##### Magnesium sulfate (7487-88-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

##### Magnesium oxide (1309-48-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

##### Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

##### Limestone (1317-65-3)

WHMIS Classification Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

##### Dextrin (9004-53-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

#### 15.3. US State regulations

##### Titanium dioxide (13463-67-7)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes				

##### Magnesium oxide (1309-48-4)

U.S. - Massachusetts - Right To Know List  
U.S. - Minnesota - Hazardous Substance List

# X-PANDOTITE SPECIAL GLASS (WHITE, GREY, BLACK)

## Safety Data Sheet

### Magnesium oxide (1309-48-4)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

### Titanium dioxide (13463-67-7)

U.S. - Massachusetts - Right To Know List  
U.S. - Minnesota - Hazardous Substance List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

### Limestone (1317-65-3)

U.S. - Massachusetts - Right To Know List  
U.S. - Minnesota - Hazardous Substance List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Full text of H-phrases:

Carc. 2	Carcinogenicity Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure

### HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible  
Flammability : 0 Minimal Hazard  
Physical : 0 Minimal Hazard

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*